



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 18 06 92266 005

Certificate Holder: **Vodapruf Pte Ltd**
8B Admiralty Street
#08-12
Singapore 757440
SINGAPORE

Certification Mark:

Product: Fire Rated Partition Systems

Brand Name: Vodapruf

Model(s): vPanel

Product Details: Integrity: 240mins, Insulation: 180mins
Panel: vPanel 100, 100mm, 650kg/m³ (Single layer)
Single panel size: 600mm (w) x 3000mm (ht)
Each panel screed clad with 5mm thick concrete panels on both faces

Standard(s): BS 476-22:1987

Country of Origin: Malaysia

Test Report(s): PSB Test 7191153877-MEC17-LJH


Issued on: 2018-06-07

Valid until: 2023-06-06

Products listed under Class 1A must have TÜV SÜD PSB PLS mark as shown above affixed/printed on them. Failure to comply with this requirement may result in revocation of this certificate.

Page 1 of 1

This Certificate is part of a full report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at www.tuv-sud-psb.sg


Vice-President (Certification Department)
TÜV SÜD PSB

